

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("(opticalelectrical)and(eyenear5(diagramchart)))".PN.	US-PGPUB; USPAT	OR	OFF	2005/06/09 13:47
L2	187976	((optical electrical) and (eye near5 diagram chart))	US-PGPUB; USPAT	OR	ON	2005/06/09 13:50
L3	2238	(optical electrical) and (eye near5 (diagram chart))	US-PGPUB; USPAT	OR	ON	2005/06/09 13:56
L4	2	I3 and (sampl\$3 with threshold with probability)	US-PGPUB; USPAT	OR	ON	2005/06/09 13:49
L5	12	I3 and (sampl\$3 same threshold same probability)	US-PGPUB; USPAT	OR	ON	2005/06/09 13:48
L6	171	I3 and (threshold with circuit)	US-PGPUB; USPAT	OR	ON	2005/06/09 13:49
L7	37	I6 and storage	US-PGPUB; USPAT	OR	ON	2005/06/09 13:49
L8	15	I7 and counter	US-PGPUB; USPAT	OR	ON	2005/06/09 13:50
L9	49	((electrical optical) with signal) and (sampl\$4 with threshold with probability)	US-PGPUB; USPAT	OR	ON	2005/06/09 13:50
L10	1	I9 and (eye near5 (diagram chart))	US-PGPUB; USPAT	OR	ON	2005/06/09 13:51
L11	3	I9 and eye and counter and adder	US-PGPUB; USPAT	OR	ON	2005/06/09 13:52
L12	0	I3 and (decision same counter same source same storage)	US-PGPUB; USPAT	OR	ON	2005/06/09 13:53
L13	45	I3 and (threshold and counter and source and storage)	US-PGPUB; USPAT	OR	ON	2005/06/09 13:53
L14	167	359/5,177,174,175,176,110.ccls. 370/243,246.ccls.	US-PGPUB; USPAT	OR	ON	2005/06/09 13:54
L15	34	I14 and threshold	US-PGPUB; USPAT	OR	ON	2005/06/09 13:54
L16	3383	398/33.ccls. 702/64-84.ccls.	US-PGPUB; USPAT	OR	ON	2005/06/09 13:55
L17	0	I16 and (sample\$3 with threshold with probab%4)	US-PGPUB; USPAT	OR	ON	2005/06/09 13:55
L18	1	I16 and (sample\$3 with threshold with probab\$4)	US-PGPUB; USPAT	OR	ON	2005/06/09 13:55
L19	49	((optical electrical) with signal) and (sampl\$3 with threshold with probability)	US-PGPUB; USPAT	OR	ON	2005/06/09 13:57
L20	8	I19 and (above with below with threshold)	US-PGPUB; USPAT	OR	ON	2005/06/09 13:58
L21	2	I19 and (subtract\$4 with probability with threshold)	US-PGPUB; USPAT	OR	ON	2005/06/09 14:28

L22	7	(signal\$3 with plurality) with probability with threshold with sampl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:34
L23	40	(signal\$3 with plurality) same (probability same threshold same sampl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:35
L24	11	I23 and ((differenc\$4 subtract\$3) with (threshold\$3 (probability likelihood)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:41
L25	0	I24 and (threshold with chang\$4 with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:39
L26	3	I24 and (threshold with chang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:40
L27	4	I24 and (threshold with (adjust\$4 chang\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:40
L28	9	I24 and (threshold with ((above greater) (below less)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:42